

FULLTEC PLUS FOLIAR

EARLY NUTRITION/PPO RECOVERY

PRINCIPAL FUNCTIONING AGENTS:

Total Nitrogen (N).....	6.00%
Available Phosphate (P ₂ O ₅).....	17.00%
Boron (B).....	1.00%
Cobalt (Co).....	0.50%
Molybdenum (Mo).....	2.00%
Zinc (Zn).....	1.50%



Manufactured/guaranteed by:

Spraytec Fertilizers LLC
3219 99th Street
Urbandale, IA 50322
(515) 252-7777

For product information/assistance 1-800-889-5127

NET CONTENTS: 1.25 GALS. (4.73L)

NET WEIGHT: 14.60 LBS

SHAKE WELL BEFORE USING.



6-17-0

PRINCIPAL FUNCTIONING AGENTS:

Total Nitrogen (N).....	6.00%
Available Phosphate (P ₂ O ₅).....	17.00%
Boron (B).....	1.00%
Cobalt (Co).....	0.50%
Molybdenum (Mo).....	2.00%
Zinc (Zn).....	1.50%

Composition:

Urea, phosphoric acid, boric acid, cobalt sulfate, sodium molybdate, and zinc sulfate, amino acid, carboxylic acids, non-ionic surfactant, water, and EDTA.

General Information:

Fulltec Plus Foliar is a nutritional package that maximizes vegetative growth at early stages.

CAUTION!

KEEP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS:

CAUTION: May cause slight irritation if allowed to directly contact skin or eyes. Do not take internally. Avoid contact with or inhalation of the spray mist. If product is being mixed with pesticide(s), follow all precautionary statements on the accompanying pesticide(s) label(s).

FIRST AID:

If in eyes: Immediately flush eyes with clean water for at least 15 minutes. If irritation persists, seek medical attention.

NET CONTENTS: 1.25 GALS. (4.73L)

NET WEIGHT: 14.60 LBS

If on skin: Remove contaminated clothing and wash skin with soap and water. Seek medical attention if irritation persists.

If inhaled: Move victim to fresh air. If victim stops breathing provide artificial respiration, if needed, seek medical attention.

If swallowed: Do not induce vomiting unless told to do so by a poison control center or a doctor. Seek medical attention.

STORAGE AND DISPOSAL:

Protect product from freezing (store above 32°F) and avoid extreme heat.

Store product in the original container. Keep tightly closed, in a cool, dry area. Store out of the reach of children and animals. Avoid contamination of water, food or feed with equipment cleanup and disposal of the product or spray waste.

After use, rinse thoroughly and dispose of the container according to local state and federal regulations.

Product best when used within three years of manufactured date.

DIRECTIONS FOR USE :

Prior to use, read all directions in this label.

User should consult a trained agronomist or a certified crop advisor for specific recommendations.

This product is for use in a balanced program for the crops listed in the label.

Rates

Tank Mix	Rate of Fulltec Plus Foliar	
Stand-alone	4.0 oz/acre	V3-Vn
PPO's (Group 14)	4.0 - 5.5 oz/acre	V3-Vn

WARNING: The application of fertilizing material containing molybdenum (Mo) may result in forage crops containing levels of molybdenum (Mo) which are toxic to ruminant animals. Do not apply near water, storm drains, or drainage ditches. Do not apply if heavy rains are expected.

SHAKE WELL BEFORE USING.

WARNING: This product contains Boron; excessive use or over application may result in serious injury.

Crops:

Apples, Beans, Berries, Cereals/Small Grains, Citrus, Corn, Cotton, Curcubits, Grapes, Nursery Crops, Nut Crops, Ornamentals, Peanuts, Potatoes, Pulse Crops, Rice, Sod/Turf, Soybeans, Sugar Beets, Sunflower, Vegetable Crops, Wheat.

Compatibility:

This product can be used/mixed with pesticides, but a "jar compatibility" test should be conducted for unfamiliar mixes in order to determine compatibility.

Mixing:

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Fulltec Plus Foliar

2. Dry formulations (WP, DF, WDG, SP), and AMS
3. Flowable formulations (F & FL), liquid concentrates or suspensions (LC, ME, SC, CS)
4. Emulsifiable concentrates (E, EL or EC)
5. Solutions and soluble liquids (S or SL)
6. Liquid micronutrients and fertilizers
7. Water conditioners and other adjuvants (COC, HSOC, MSO, NIS)
8. Finish filling to desired spray volume level and continue agitation.

Manufactured/guaranteed by:

Spraytec Fertilizers LLC
3219 99th Street
Urbandale, IA 50322
(515) 252-7777

For product information/assistance 1-800-889-5127

CONDITIONS OF SALE:

Read the conditions of sale - Warranty and limitations and remedies before using this product. If the terms are not acceptable return the product unopened, and the full purchase price will be refunded.

Spraytec warrants that the chemical composition of this product conforms to the label description and that the product is reasonably fit for the purpose referred to in the "Directions for use" on the label. The label is believed to be reliable and should be followed carefully, injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Spraytec and its sellers.

The company warrants that this product conforms to the description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the company. The company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty or merchantability or fitness for any purpose and no such warranty shall be implied by law.

The exclusive remedy against the company for any cause of action to the handling or use of this product shall be limited to, at Spraytec's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of product used.

To the extent allowed by law, the company shall not be liable and any and all claims against the company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including but not limited to, loss of profits or income. The company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of the sale limitation of warranty, liability and remedies.

This product is for sale only in the registered states. Please ask Spraytec for a specific list of states or regions where sale or distribution of this product is permitted.

Made in U.S.A.