

FULLTEC ADJUVANT



SURFACTANT, WATER CONDITIONER, DRIFT AGENT

PRINCIPAL FUNCTIONING AGENTS:

Sulfonic acid.....8.50%

Phosphoric acid.....27.80%

Fatty alcohol ethoxylate.....3.70%

Constituents ineffective as spray adjuvant.....60.00%

Surfactant content 8.50%, Water conditioner content 27.80%, Drift reducing agent 3.70%

All ingredients are approved for use under 40 CFR 180



Manufactured/guaranteed by:

Spraytec Fertilizers LLC

3255 99th Street • Urbandale, IA 50322 • (515) 252-7777

For product information/assistance 1-800-889-5127

Florida Registration: F003739



NET CONTENTS: 1.25 GALS. (4.73L)

NET WEIGHT: 13.14 LBS

SHAKE WELL BEFORE USING.

FULLTEC ADJUVANT

Adjuvant

Application Technology

PRINCIPAL FUNCTIONING AGENTS:

Sulfonic acid.....8.50%
Phosphoric acid.....27.80%
Fatty alcohol ethoxylate.....3.70%
Constituents ineffective as spray adjuvant.....60.00%
Surfactant 8.50%, Drift reducing agent 3.70%
Water conditioner 27.80%
All ingredients are approved for use under 40 CFR 180

DANGER

KEEP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS:

CAUTION: May cause slight irritation if allowed to directly contact skin or eyes. Do not take internally. Avoid contact with or inhalation of the spray mist. If product is being mixed with pesticide(s), follow all precautionary statements on the accompanying pesticide(s) label(s).

FIRST AID:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If on skin: Remove contaminated clothing and wash skin with soap and water. Seek medical attention if irritation persists.

If inhaled: Move victim to fresh air. If victim stops breathing provide artificial respiration, if needed, seek medical attention.

If swallowed: Do not induce vomiting unless told to do so by a poison control center or a doctor. Seek medical attention.

NET CONTENTS: 1.25 GALS. (4.73L)

NET WEIGHT: 13.14 LBS

STORAGE AND DISPOSAL:

Protect product from freezing (store above 32°F) and avoid extreme heat.

Store product in the original container. Keep tightly closed, in a cool, dry area. Store out of the reach of children and animals. Avoid contamination of water, food or feed with equipment cleanup and disposal of the product or spray waste.

After use, rinse thoroughly and dispose the container according to local state and federal regulations.

Product best when used within three years of manufactured date.

DIRECTIONS FOR USE :

Prior to use, read all directions in this label.

User should consult a trained agronomist or a certified crop advisor for specific recommendations.

This product is for use with Herbicides (including desiccants), Insecticides, Fungicides, PGR's and nutritionals, in the crops listed in the label.

Rates

Ground application:

Rate of Fulltec Adjuvant
15 - 20 oz/100 gal

The higher rate of Fulltec Adjuvant, within the range listed in the table above, is recommended for when using higher rates of pressure, low GPA of the spray solution or Glufosinate or PPO based products.

NOT FOR AQUATIC USE.

SHAKE WELL BEFORE USING.

Crops:

Apples, Beans, Berries, Cereals/Small Grains, Citrus, Corn, Cotton, Curcubits, Grapes, Nursery Crops, Nut Crops, Ornamentals, Peanuts, Potatoes, Pulse Crops, Rice, Sod/Turf, Soybeans, Sugar Beets, Sunflower, Vegetable Crops, Wheat.

Compatibility:

This product can be used/mixed with pesticides, but a "jar compatibility" test should be conducted for unfamiliar mixes in order to determine compatibility.

Mixing:

In the absence of specific mixing instructions found on the pesticide label, fill the spray tank with at least 50% of the desired finished carrier volume. When premixing in a mixing vessel or inductor, fill with at least 20% of the desired finished carrier volume. While the carrier is agitating, add tank mix ingredients in the following order:

1. Fulltec Adjuvant

2. Dry formulations (WP, DF, WDG, SP), and AMS
3. Flowable formulations (F & FL), liquid concentrates or suspensions (LC, ME, SC, CS)
4. Emulsifiable concentrates (E, EL or EC)
5. Solutions and soluble liquids (S or SL)
6. Liquid micronutrients and fertilizers
7. Water conditioners and other adjuvants (COC, HSOC, MSO, NIS)
8. Finish filling to desired spray volume level and continue agitation.

Manufactured/guaranteed by:

Spraytec Fertilizers LLC
3255 99th Street
Urbandale, IA 50322
(515) 252-7777

For product information/assistance 1-800-889-5127
Florida Registration: F003739

CONDITIONS OF SALE:

Read the conditions of sale - Warranty and limitations and remedies before using this product. If the terms are not acceptable return the product unopened, and the full purchase price will be refunded.

Spraytec warrants that the chemical composition of this product conforms to the label description and that the product is reasonably fit for the purpose referred to in the "Directions for use" on the label. The label is believed to be reliable and should be followed carefully, injury to the crop to which the product is applied may result from the occurrence of extraordinary or unusual weather conditions or the failure to follow the label directions or good application practices, all of which are beyond the control of Spraytec and its sellers.

The company warrants that this product conforms to the description on the label and is reasonably fit for the purpose referred to subject to the factors noted above which are beyond the control of the company. The company makes no other warranties or representations of any kind, express or implied, concerning the product, including no implied warranty or merchantability or fitness for any purpose and no such warranty shall be implied by law.

The exclusive remedy against the company for any cause of action to the handling or use of this product shall be limited to, at Spraytec's election, one of the following:

1. Refund of the purchase price paid by buyer or user for product bought, or
2. Replacement of product used.

To the extent allowed by law, the company shall not be liable and any and all claims against the company are waived for special, indirect, incidental, or consequential damages or expense of any nature, including but not limited to, loss of profits or income. The company and the seller offer this product and the buyer and user accept it, subject to the foregoing conditions of the sale limitation of warranty, liability and remedies.

This product is for sale only in the registered states. Please ask Spraytec for a specific list of states or regions where sale or distribution of this product is permitted.

Made in U.S.A.